

MALNAD COLLEGE OF ENGINEERING, HASSAN
Department of Electronics and Communication Engineering

Date: 24/11/2025

Time: 9.00 to 10.00 AM

ROOM ALLOTMENT FOR SA201

• **V SEM**

40	4MC23EC001	39	4MC23EC019	38	4MC23EC040	37	4MC23EC058
36	4MC23EC003	35	4MC23EC022	34	4MC23EC041	33	4MC23EC060
32	4MC23EC005	31	4MC23EC023	30	4MC23EC043	29	4MC23EC063
28	4MC23EC008	27	4MC23EC024	26	4MC23EC044	25	4MC23EC064
24	4MC23EC009	23	4MC23EC028	22	4MC23EC046	21	4MC23EC065
20	4MC23EC010	19	4MC23EC030	18	4MC23EC048	17	4MC23EC066
16	4MC23EC011	15	4MC23EC031	14	4MC23EC049	13	4MC23EC067
12	4MC23EC014	11	4MC23EC034	10	4MC23EC050	9	4MC23EC070
8	4MC23EC016	7	4MC23EC035	6	4MC23EC053	5	4MC23EC072
4	4MC23EC017	3	4MC23EC039	2	4MC23EC056	1	

ROOM ALLOTMENT FOR SA202

• **V SEM**

39	4MC23EC080	38	4MC23EC110	37	4MC24EC402		
35	4MC23EC082	34	4MC23EC113	33	4MC24EC403		
31	4MC23EC093	30	4MC23EC115	29	4MC24EC405		
27	4MC23EC094	26	4MC23EC116	25	4MC24EC406		
23	4MC23EC097	22	4MC23EC117	21	4MC24EC410		
19	4MC23EC098	18	4MC23EC119	17	4MC24EC411		
15	4MC23EC099	14	4MC23EC121	13			
11	4MC23EC104	10	4MC23EC124	9			
7	4MC23EC105	6	4MC23EC126	5			
3	4MC23EC106	2	4MC23EC129	1			

ROOM ALLOTMENT FOR SA203

• **V SEM**

40	4MC23EC002	39	4MC23EC026	38	4MC23EC047	37	4MC23EC073
36	4MC23EC006	35	4MC23EC027	34	4MC23EC051	33	4MC23EC074
32	4MC23EC007	31	4MC23EC029	30	4MC23EC054	29	4MC23EC075
28	4MC23EC012	27	4MC23EC032	26	4MC23EC055	25	4MC23EC076
24	4MC23EC013	23	4MC23EC033	22	4MC23EC057	21	4MC23EC077
20	4MC23EC015	19	4MC23EC036	18	4MC23EC059	17	4MC23EC078
16	4MC23EC018	15	4MC23EC037	14	4MC23EC061	13	4MC23EC079
12	4MC23EC020	11	4MC23EC038	10	4MC23EC068	9	4MC23EC081
8	4MC23EC021	7	4MC23EC042	6	4MC23EC069	5	4MC23EC083
4	4MC23EC025	3	4MC23EC045	2	4MC23EC071	1	4MC23EC084

ROOM ALLOTMENT FOR SA104

• **V SEM**

39	4MC23EC085	38	4MC23EC101	37	4MC23EC122
35	4MC23EC086	34	4MC23EC102	33	4MC23EC123
31	4MC23EC088	30	4MC23EC103	29	4MC23EC125
27	4MC23EC089	26	4MC23EC107	25	4MC23EC127
23	4MC23EC090	22	4MC23EC108	21	4MC23EC128
19	4MC23EC091	18	4MC23EC109	17	4MC24EC400
15	4MC23EC092	14	4MC23EC111	13	4MC24EC401
11	4MC23EC095	10	4MC23EC112	9	4MC24EC407
7	4MC23EC096	6	4MC23EC114	5	4MC24EC408
3	4MC23EC100	2	4MC23EC118	1	4MC24EC409

Note: all backlog students are requested sit in **SA104**

MALNAD COLLEGE OF ENGINEERING, HASSAN**Department of Electronics and Communication Engineering****Date:24/11/2025****Time: 2.30 to 3.30 PM****ROOM ALLOTMENT FOR SA201**• **V SEM**

1	4MC23EC001	4	4MC23EC019	7	4MC23EC040	10	4MC23EC058
2	4MC23EC003	5	4MC23EC022	8	4MC23EC041	11	4MC23EC060
3	4MC23EC005	6	4MC23EC023	9	4MC23EC043	12	4MC23EC063
13	4MC23EC008	16	4MC23EC024	19	4MC23EC044	22	4MC23EC064
14	4MC23EC009	17	4MC23EC028	20	4MC23EC046	23	4MC23EC065
15	4MC23EC010	18	4MC23EC030	21	4MC23EC048	24	4MC23EC066
25	4MC23EC011	28	4MC23EC031	31	4MC23EC049	34	4MC23EC067
26	4MC23EC014	29	4MC23EC034	32	4MC23EC050	35	4MC23EC070
27	4MC23EC016	30	4MC23EC035	33	4MC23EC053	36	4MC23EC072
37	4MC23EC017	38	4MC23EC039	39	4MC23EC056	40	

ROOM ALLOTMENT FOR SA202• **V SEM**

1	4MC23EC080	4	4MC23EC110	7	4MC24EC402
2	4MC23EC082	5	4MC23EC113	8	4MC24EC403
3	4MC23EC093	6	4MC23EC115	9	4MC24EC405
10	4MC23EC094	13	4MC23EC116	16	4MC24EC406
11	4MC23EC097	14	4MC23EC117	17	4MC24EC410
12	4MC23EC098	15	4MC23EC119	18	4MC24EC411
19	4MC23EC099	22	4MC23EC121	25	
20	4MC23EC104	23	4MC23EC124		
21	4MC23EC105	24	4MC23EC126		
26	4MC23EC106	27	4MC23EC129		

ROOM ALLOTMENT FOR SA203• **V SEM**

1	4MC23EC002	4	4MC23EC026	7	4MC23EC047	10	4MC23EC073
2	4MC23EC006	5	4MC23EC027	8	4MC23EC051	11	4MC23EC074
3	4MC23EC007	6	4MC23EC029	9	4MC23EC054	12	4MC23EC075
13	4MC23EC012	16	4MC23EC032	19	4MC23EC055	22	4MC23EC076
14	4MC23EC013	17	4MC23EC033	20	4MC23EC057	23	4MC23EC077
15	4MC23EC015	18	4MC23EC036	21	4MC23EC059	24	4MC23EC078
25	4MC23EC018	28	4MC23EC037	31	4MC23EC061	34	4MC23EC079
26	4MC23EC020	29	4MC23EC038	32	4MC23EC068	35	4MC23EC081
27	4MC23EC021	30	4MC23EC042	33	4MC23EC069	36	4MC23EC083
37	4MC23EC025	38	4MC23EC045	39	4MC23EC071	40	4MC23EC084

ROOM ALLOTMENT FOR SA104• **V SEM**

1	4MC23EC085	4	4MC23EC102	7	4MC23EC123	
2	4MC23EC086	5	4MC23EC103	8	4MC23EC125	
3	4MC23EC088	6	4MC23EC107	9	4MC23EC127	
13	4MC23EC089	16	4MC23EC108	19	4MC23EC128	
14	4MC23EC090	17	4MC23EC109	20	4MC24EC400	
15	4MC23EC091	18	4MC23EC111	21	4MC24EC401	
25	4MC23EC092	28	4MC23EC112	31	4MC24EC407	
26	4MC23EC096	29	4MC23EC114	32	4MC24EC408	
27	4MC23EC100	30	4MC23EC118	33	4MC24EC409	
37	4MC23EC101	38	4MC23EC122	39	4MC19EC076	
40	4MC23EC095					

Department of Electronics and Communication Engineering

Date:25/11/2025

Time: 9.00 to 10.00 AM

ROOM ALLOTMENT FOR SA201• **V SEM**

40	4MC23EC001	39	4MC23EC019	20	4MC23EC040	19	4MC23EC056
38	4MC23EC003	37	4MC23EC022	18	4MC23EC041	17	4MC23EC058
36	4MC23EC005	35	4MC23EC023	16	4MC23EC043	15	4MC23EC060
34	4MC23EC008	33	4MC23EC024	14	4MC23EC044	13	4MC23EC063
32	4MC23EC009	31	4MC23EC028	12	4MC23EC046	11	4MC23EC064
30	4MC23EC010	29	4MC23EC030	10	4MC23EC048	9	4MC23EC065
28	4MC23EC011	27	4MC23EC031	8	4MC23EC049	7	4MC23EC066
26	4MC23EC014	25	4MC23EC034	6	4MC23EC050	5	4MC23EC067
24	4MC23EC016	23	4MC23EC035	4	4MC23EC053	3	4MC23EC070
22	4MC23EC017	21	4MC23EC039	2	4MC23EC072	1	

ROOM ALLOTMENT FOR SA202• **V SEM**

26	4MC23EC080	20	4MC23EC110	13	4MC23EC129		
24	4MC23EC082	18	4MC23EC113	11	4MC24EC402		
22	4MC23EC093	16	4MC23EC115	9	4MC24EC403		
27	4MC23EC031	14	4MC23EC116	7	4MC24EC405		
25	4MC23EC034	12	4MC23EC117	5	4MC24EC406		
23	4MC23EC035	10	4MC23EC119	3	4MC24EC410		
21	4MC23EC039	8	4MC23EC121	1	4MC24EC411		
19	4MC23EC104	6	4MC23EC124				
17	4MC23EC105	4	4MC23EC126				
15	4MC23EC106	2					

ROOM ALLOTMENT FOR SA203• **V SEM**

40	4MC23EC002	39	4MC23EC026	20	4MC23EC047	19	4MC23EC073
38	4MC23EC006	37	4MC23EC027	18	4MC23EC051	17	4MC23EC074
36	4MC23EC007	35	4MC23EC029	16	4MC23EC054	15	4MC23EC075
34	4MC23EC012	33	4MC23EC032	14	4MC23EC055	13	4MC23EC076
32	4MC23EC013	31	4MC23EC033	12	4MC23EC057	11	4MC23EC077
30	4MC23EC015	29	4MC23EC036	10	4MC23EC059	9	4MC23EC078
28	4MC23EC018	27	4MC23EC037	8	4MC23EC061	7	4MC23EC079
26	4MC23EC020	25	4MC23EC038	6	4MC23EC068	5	4MC23EC081
24	4MC23EC021	23	4MC23EC042	4	4MC23EC069	3	4MC23EC083
22	4MC23EC025	21	4MC23EC045	2	4MC23EC071	1	4MC23EC084

ROOM ALLOTMENT FOR SA104• **V SEM**

39	4MC23EC085	20	4MC23EC101	19	4MC23EC122	40	4MC19EC076
37	4MC23EC086	18	4MC23EC102	17	4MC23EC123		
35	4MC23EC088	16	4MC23EC103	15	4MC23EC125		
33	4MC23EC089	14	4MC23EC107	13	4MC23EC127		
31	4MC23EC090	12	4MC23EC108	11	4MC23EC128		
29	4MC23EC091	10	4MC23EC109	9	4MC24EC400		
27	4MC23EC092	8	4MC23EC111	7	4MC24EC401		
25	4MC23EC095	6	4MC23EC112	5	4MC24EC407		
23	4MC23EC096	4	4MC23EC114	3	4MC24EC408		
21	4MC23EC100	2	4MC23EC118	1	4MC24EC409		

Note: all backlog students are requested sit in **SA104**

MALNAD COLLEGE OF ENGINEERING, HASSAN
Department of Electronics and Communication Engineering

Date: 25/11/2025

Time: 2.30 to 3.30 PM

ROOM ALLOTMENT FOR SA201

• **V SEM**

1	4MC23EC001	2	4MC23EC019	3	4MC23EC040	4	4MC23EC056
5	4MC23EC003	6	4MC23EC022	7	4MC23EC041	8	4MC23EC058
9	4MC23EC005	10	4MC23EC023	11	4MC23EC043	12	4MC23EC060
13	4MC23EC008	14	4MC23EC024	15	4MC23EC044	16	4MC23EC063
17	4MC23EC009	18	4MC23EC028	19	4MC23EC046	20	4MC23EC064
21	4MC23EC010	22	4MC23EC030	23	4MC23EC048	24	4MC23EC065
25	4MC23EC011	26	4MC23EC031	27	4MC23EC049	28	4MC23EC066
29	4MC23EC014	30	4MC23EC034	31	4MC23EC050	32	4MC23EC067
33	4MC23EC016	34	4MC23EC035	35		36	4MC23EC070
37	4MC23EC017	38	4MC23EC039	39	4MC23EC053	40	4MC23EC072

ROOM ALLOTMENT FOR SA202

• **V SEM**

1	4MC23EC080	2	4MC23EC110	3	4MC23EC129		
4	4MC23EC082	5	4MC23EC113	6	4MC24EC402		
7	4MC23EC093	8	4MC23EC115	9	4MC24EC403		
10	4MC23EC094	11	4MC23EC116	12	4MC24EC405		
13	4MC23EC097	14	4MC23EC117	15	4MC24EC406		
16	4MC23EC098	17	4MC23EC119	18	4MC24EC410		
19	4MC23EC099	20	4MC23EC121	21	4MC24EC411		
22	4MC23EC104	23	4MC23EC124				
24	4MC23EC105	25	4MC23EC126				
26	4MC23EC106	27					

ROOM ALLOTMENT FOR SA203

• **V SEM**

1	4MC23EC002	2	4MC23EC026	3	4MC23EC047	4	4MC23EC073
5	4MC23EC006	6	4MC23EC027	7	4MC23EC051	8	4MC23EC074
9	4MC23EC007	10	4MC23EC029	11	4MC23EC054	12	4MC23EC075
13	4MC23EC012	14	4MC23EC032	15	4MC23EC055	16	4MC23EC076
17	4MC23EC013	18	4MC23EC033	19	4MC23EC057	20	4MC23EC077
21	4MC23EC015	22	4MC23EC036	23	4MC23EC059	24	4MC23EC078
25	4MC23EC018	26	4MC23EC037	27	4MC23EC061	28	4MC23EC079
29	4MC23EC020	30	4MC23EC038	31	4MC23EC068	32	4MC23EC081
33	4MC23EC021	34	4MC23EC042	35	4MC23EC069	36	4MC23EC083
37	4MC23EC025	38	4MC23EC045	39	4MC23EC071	40	4MC23EC084

ROOM ALLOTMENT FOR SA104

• **V SEM**

1	4MC23EC085	2	4MC23EC101	3	4MC23EC122	40	4MC19EC076
4	4MC23EC086	5	4MC23EC102	6	4MC23EC123	36	4MC23EC413
7	4MC23EC088	8	4MC23EC103	9	4MC23EC125	35	4MC23EC414
10	4MC23EC089	11	4MC23EC107	12	4MC23EC127		
13	4MC23EC090	14	4MC23EC108	15	4MC23EC128		
16	4MC23EC091	17	4MC23EC109	18	4MC24EC400		
19	4MC23EC092	20	4MC23EC111	21	4MC24EC401		
22	4MC23EC095	23	4MC23EC112	24	4MC24EC407		
25	4MC23EC096	26	4MC23EC114	27	4MC24EC408		
28	4MC23EC100	29	4MC23EC118	30	4MC24EC409		

Department of Electronics and Communication Engineering

Date: 26/11/2025

Time: 9.00 to 10.00 AM

ROOM ALLOTMENT FOR SA201

• **V SEM**

40	4MC23EC010	39	4MC23EC049	38	4MC23EC082	37	4MC23EC121
36	4MC23EC011	35	4MC23EC054	34	4MC23EC093	33	4MC23EC124
32	4MC23EC014	31	4MC23EC063	30	4MC23EC097	29	4MC23EC126
28	4MC23EC016	27	4MC23EC064	26	4MC23EC098	25	4MC23EC129
24	4MC23EC019	23	4MC23EC065	22	4MC23EC099	21	4MC24EC402
20	4MC23EC028	19	4MC23EC066	18	4MC23EC104	17	4MC24EC403
16	4MC23EC034	15	4MC23EC067	14	4MC23EC110	13	4MC24EC406
12	4MC23EC035	11	4MC23EC070	10	4MC23EC115	9	4MC24EC409
8	4MC23EC039	7	4MC23EC072	6	4MC23EC116	5	4MC24EC410
4	4MC23EC048	3	4MC23EC080	2	4MC23EC119	1	4MC24EC411

ROOM ALLOTMENT FOR SA202

• **V SEM**

25	4MC23EC002	26	4MC23EC027	27	4MC23EC073		
21	4MC23EC006	22	4MC23EC029	24	4MC23EC075		
17	4MC23EC012	18	4MC23EC030	20	4MC23EC077		
13	4MC23EC013	14	4MC23EC033	16	4MC23EC079		
9	4MC23EC015	23	4MC23EC036	12	4MC23EC081		
5	4MC23EC018	19	4MC23EC037	8	4MC23EC085		
1	4MC23EC020	15	4MC23EC047	4	4MC23EC089		
10	4MC23EC021	11	4MC23EC051	40	4MC19EC076		
6	4MC23EC025	7	4MC23EC059				
2	4MC23EC026	3	4MC23EC068				

ROOM ALLOTMENT FOR SA203

• **V SEM**

40	4MC23EC090	39	4MC23EC114	38	4MC23EC001	37	4MC23EC031
36	4MC23EC091	35	4MC23EC118	34	4MC23EC003	33	4MC23EC032
32	4MC23EC092	31	4MC23EC122	30	4MC23EC005	29	4MC23EC038
28	4MC23EC095	27	4MC23EC123	26	4MC23EC007	25	4MC23EC040
24	4MC23EC096	23	4MC23EC125	22	4MC23EC008	21	4MC23EC041
20	4MC23EC101	19	4MC23EC127	18	4MC23EC009	17	4MC23EC042
16	4MC23EC107	15	4MC24EC400	14	4MC23EC017	13	4MC23EC043
12	4MC23EC109	11	4MC24EC401	10	4MC23EC022	9	4MC23EC044
8	4MC23EC111	7	4MC24EC407	6	4MC23EC023	5	4MC23EC045
4	4MC23EC112	3	4MC24EC408	2	4MC23EC024	1	

ROOM ALLOTMENT FOR SA104

• **V SEM**

40	4MC23EC046	39	4MC23EC071	38	4MC23EC102	37	
36	4MC23EC050	35	4MC23EC074	34	4MC23EC103	33	
32	4MC23EC053	31	4MC23EC076	30	4MC23EC105	29	
28	4MC23EC055	27	4MC23EC078	26	4MC23EC106	25	
24	4MC23EC056	23	4MC23EC083	22	4MC23EC108	21	
20	4MC23EC057	19	4MC23EC084	18	4MC23EC113	17	
16	4MC23EC058	15	4MC23EC086	14	4MC23EC117	13	
12	4MC23EC060	11	4MC23EC088	10	4MC23EC128	9	
8	4MC23EC061	7	4MC23EC094	6	4MC24EC405	5	
4	4MC23EC069	3	4MC23EC100	2		1	

Note: all backlog students are requested sit in **SA104**

ROOM ALLOTMENT FOR SA201

Date: 26/11/2025

Time: 3.45 to 4.15 PM

• V SEM

1	4MC23EC001	2	4MC23EC019	3	4MC23EC040	4	4MC23EC056
5	4MC23EC003	6	4MC23EC022	7	4MC23EC041	8	4MC23EC058
9	4MC23EC005	10	4MC23EC023	11	4MC23EC043	12	4MC23EC060
13	4MC23EC008	14	4MC23EC024	15	4MC23EC044	16	4MC23EC063
17	4MC23EC009	18	4MC23EC028	19	4MC23EC046	20	4MC23EC064
21	4MC23EC010	22	4MC23EC030	23	4MC23EC048	24	4MC23EC065
25	4MC23EC011	26	4MC23EC031	27	4MC23EC049	28	4MC23EC066
29	4MC23EC014	30	4MC23EC034	31	4MC23EC050	32	4MC23EC067
33	4MC23EC016	34	4MC23EC035	35		36	4MC23EC070
37	4MC23EC017	38	4MC23EC039	39	4MC23EC053	40	4MC23EC072

ROOM ALLOTMENT FOR SA202

• V SEM

1	4MC23EC080	2	4MC23EC110	3	4MC23EC129		
4	4MC23EC082	5	4MC23EC113	6	4MC24EC402		
7	4MC23EC093	8	4MC23EC115	9	4MC24EC403		
10	4MC23EC094	11	4MC23EC116	12	4MC24EC405		
13	4MC23EC097	14	4MC23EC117	15	4MC24EC406		
16	4MC23EC098	17	4MC23EC119	18	4MC24EC410		
19	4MC23EC099	20		21	4MC24EC411		
22	4MC23EC104	23	4MC23EC121				
24	4MC23EC105	25	4MC23EC124				
26	4MC23EC106	27	4MC23EC126				

ROOM ALLOTMENT FOR SA203

• V SEM

1	4MC23EC002	2	4MC23EC026	3	4MC23EC047	4	4MC23EC073
5	4MC23EC006	6	4MC23EC027	7	4MC23EC051	8	4MC23EC074
9	4MC23EC007	10	4MC23EC029	11	4MC23EC054	12	4MC23EC075
13	4MC23EC012	14	4MC23EC032	15	4MC23EC055	16	4MC23EC076
17	4MC23EC013	18	4MC23EC033	19	4MC23EC057	20	4MC23EC077
21	4MC23EC015	22	4MC23EC036	23	4MC23EC059	24	4MC23EC078
25	4MC23EC018	26	4MC23EC037	27	4MC23EC061	28	4MC23EC079
29	4MC23EC020	30	4MC23EC038	31	4MC23EC068	32	4MC23EC081
33	4MC23EC021	34	4MC23EC042	35	4MC23EC069	36	4MC23EC083
37	4MC23EC025	38	4MC23EC045	39	4MC23EC071	40	4MC23EC084

ROOM ALLOTMENT FOR SA104

• V SEM

1	4MC23EC085	2	4MC23EC101	3	4MC23EC122
4	4MC23EC086	5	4MC23EC102	6	4MC23EC123
7	4MC23EC088	8	4MC23EC103	9	4MC23EC125
10	4MC23EC089	11	4MC23EC107	12	4MC23EC127
13	4MC23EC090	14	4MC23EC108	15	4MC23EC128
16	4MC23EC091	17	4MC23EC109	18	4MC24EC400
19	4MC23EC092	20	4MC23EC111	21	4MC24EC401
22	4MC23EC095	23	4MC23EC112	24	4MC24EC407
25	4MC23EC096	26	4MC23EC114	27	4MC24EC408
28	4MC23EC100	29	4MC23EC118	30	4MC24EC409

Note: all backlog students are requested sit in **SA104**

